

Draft – August 2006 (updated 9/1/06) 2007 NJ EQIP Program Payment Schedule

| 100 Comprehensive Nutrient Management Plan | | | | |
|--|---------|-------------|---------|---------|
| Component Name | Unit | Cost | CS Type | CS Rate |
| CNMP Incentive Payment by Acre | ac | \$30.00 | FR | 100 |
| CNMP Incentive Payment by Animal Unit | au | \$10.00 | FR | 100 |
| 313 Waste Storage Facility | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Concrete, circular, volume, 80,000 cf or less | cf | \$2.00 | AC | 60 |
| Concrete, circular, volume, 80,001 cf or greater | cf | \$1.00 | AC | 60 |
| Concrete, rectangular, volume, < 20,000 cf | cf | \$3.25 | AC | 60 |
| Concrete, rectangular, volume, 20,001 cf to 60,000 cf | cf | \$2.50 | AC | 60 |
| Concrete, rectangular, volume, 60,001 cf to 150,000 cf | cf | \$2.00 | AC | 60 |
| Concrete, rectangular, volume, 150,001 cf or greater | cf | \$1.50 | AC | 60 |
| Dry Stack Facility, 300 sf or less | no | \$7,500.00 | AC | 60 |
| Dry Stack Facility, 301 to 500 sf | no | \$10,000.00 | AC | 60 |
| Dry Stack Facility, 501 sf or greater | sf | \$12.00 | AC | 60 |
| Steel, Circular, above grade | cf | \$1.90 | AC | 60 |
| Waste storage pond, excavated | ac-ft | \$10,000.00 | AC | 60 |
| 314 Brush Management | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Brush Hogging | ac | \$100.00 | AC | 45 |
| Hand Clearing | ac | \$500.00 | AC | 45 |
| 317 Composting Facility | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Pad - concrete | sf | \$8.00 | AC | 60 |
| Pad - gravel and geotextile | sf | \$2.25 | AC | 60 |
| Structure - curing/storage facility | sf | \$12.00 | AC | 60 |
| 327 Conservation Cover | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Conservation Cover | ac | \$600.00 | AC | 45 |
| Conservation Cover, organic production | ac | \$700.00 | AC | 45 |
| 328 Conservation Crop Rotation | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Establishment of new crop rotation to reduce erosion | ac | \$10.00 | FR | 100 |
| 329 Residue Management, No-Till/Strip Till/Dire | ct Seed | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Residue Management, No-Till/Strip Till/Direct Seed | ac | \$20.00 | FR | 100 |

| 32 Contour Buffer Strips | 11.20 | 01 | 00 T | 00 D-1- |
|--|-------|--------------|---------|---------|
| Component Name | Unit | Cost | CS Type | CS Rate |
| Contour Buffer Strips Establishment (buffer area only) | ac | \$450.00 | AC | 45 |
| 40 Cover Crop | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Cover Crop | ac | \$30.00 | FR | 100 |
| 42 Critical Area Planting | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Critical Area Planting - ag waste, erosion | ac | \$600.00 | AC | 60 |
| Critical Area Planting - tailwater/runoff | ac | \$600.00 | AC | 45 |
| 45 Residue Management, Mulch Till | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Residue Management, Mulch Till | ac | \$10.00 | FR | 100 |
| Residue Management, Mulch Till, organic production | ac | \$7.00 | FR | 100 |
| 60 Closure of Waste Impoundments | Unit | Cont | CS Tumo | CS Rate |
| Component Name | Unit | Cost | CS Type | |
| Closure of Waste Impoundments | ea | \$10,000.00 | AC | 60 |
| 62 Diversion | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Diversion, Seeded and Mulched, erosion, agwaste | ft | \$5.75 | AC | 60 |
| Diversion, Seeded and Mulched, tailwater/runoff | ft | \$5.75 | AC | 45 |
| 65 Anaerobic Digester, Ambient Temperature | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Anaerobic Digester, Ambient Temperature | ea | \$300,000.00 | AC | 60 |
| 66 Anaerobic Digester, Controlled Temperature | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Anaerobic Digester, Controlled Temperature | ea | \$300,000.00 | AC | 60 |
| 67 Waste Facility Cover | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Component Name | | | | |
| Biogass Capture | no | \$25,000.00 | AC | 60 |

| nt | | | |
|---------|----------------------------------|--|---|
| Unit | Cost | CS Type | CS Rate |
| gal | \$0.25 | FR | 100 |
| no | \$2,000.00 | AC | 60 |
| 100 kwh | \$2.50 | FR | 100 |
| ea | \$5,000.00 | AC | 60 |
| ea | \$16,750.00 | AC | 60 |
| ea | \$8,500.00 | AC | 60 |
| | gal no 100 kwh ea ea | Unit Cost gal \$0.25 no \$2,000.00 100 kwh \$2.50 ea \$5,000.00 ea \$16,750.00 | Unit Cost CS Type gal \$0.25 FR no \$2,000.00 AC 100 kwh \$2.50 FR ea \$5,000.00 AC ea \$16,750.00 AC |

| 380 | Windbreak/Shelterbelt Establishment |
|--------|---|
| \sim | VVIII I I I I I I I I I I I I I I I I I |

| 380 Windbreak/Shelterbelt Establishment | | | | |
|---|------|-------------|---------|----------|
| Component Name | Unit | Cost | CS Type | CS Rate |
| Windbreak/Shelterbelt, tree or shrub planting | ea | \$20.00 | AC | 45 |
| | | | | |
| 382 Fence | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Fence, Exterior | ft | \$4.50 | AC | 60 |
| Fence, Interior | ft | \$2.50 | AC | 60 |
| , | | · | | |
| 386 Field Border | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Field Border | ac | \$400.00 | AC | 45 |
| Field Border, organic production | ac | \$550.00 | AC | 45 |
| - rota 20.400, organio production | | Ψοσοίος | | |
| 390 Riparian Herbaceous Cover | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Riparian Herbaceous Cover | ac | \$400.00 | AC | 45 |
| Triparian Fierbaceous Cover | ac | Ψ400.00 | 7.0 | 40 |
| 391 Riparian Forest Buffer | | | | |
| | 11.2 | 01 | 00 T | 00.0-4- |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Riparian Forest Buffer | ac | \$1,200.00 | AC | 45 |
| 200 Filter Otalia | | | | |
| 393 Filter Strip | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Filter Strip | ac | \$400.00 | AC | 45 |
| 440. Osala Otalii satisa Otasat sa | | | | |
| 410 Grade Stabilization Structure | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Drop Chute, erosion | no | \$10,000.00 | AC | 60 |
| Drop Chute, tailwater/runoff | no | \$10,000.00 | AC | 45 |
| Hooded Inlet, erosion | no | \$8,000.00 | AC | 60 |
| Hooded Inlet, tailwater/runoff | no | \$8,000.00 | AC | 45 |
| Pipe drop spillway with riser, erosion | no | \$10,000.00 | AC | 60 |
| Pipe drop spillway with riser, tailwater/runoff | no | \$10,000.00 | AC | 45 |
| Straight Drop Spillway, erosion | no | \$15,000.00 | AC | 60 |
| Straight Drop Spillway, tailwater/runoff | no | \$15,000.00 | AC | 45 |
| 440 Orogod Waterway | | | | |
| 412 Grassed Waterway | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Grassed Waterway, Seeded & Mulched, erosion | ac | \$7,150.00 | AC | 60 |
| Grassed Waterway, Seeded & Mulched, tailwater/runoff | ac | \$7,150.00 | AC | 45 |
| Grassed Waterway, Seeded, erosion | ac | \$6,550.00 | AC | 60 |
| Grassed Waterway, Seeded, tailwater/runoff | ac | \$6,550.00 | AC | 45 |
| Stone Center, erosion | ac | \$23,000.00 | AC | 60 |
| Stone Center, tailwater/runoff | ac | \$23,000.00 | AC | 45 60 |
| with biodegradable erosion control blanket, erosion | ac | \$15,625.00 | AC | 60 |
| with biodegradable erosion control blanket, tailwater/ runoff | ac | \$15,625.00 | AC | 45 60 |
| with permanent erosion control material, erosion | ac | \$29,500.00 | AC | 60 45 |
| with permanent erosion control material tailwater/runoff | ac | \$29,500.00 | AC | 45 |

| Component Name | Unit | Cost | CS Type | CS Rate |
|---|------|---------|---------|---------|
| Hedgerow Planting, Establishment of Trees or Shrubs | ea | \$20.00 | AC | 45 |

| 430DD | Irrigation Water | Conveyance. | . Pipeline. | High-pressure. | Underground, Plastic |
|-------|------------------|-------------|-------------|----------------|----------------------|
| | | | | | |

| Component Name | Unit | Cost | CS Type | CS Rate |
|--|------|---------|---------|---------|
| High Pressure, Plastic, 01/2" to 2" diameter | ft | \$3.25 | AC | 45 |
| High Pressure, Plastic, 03" to 4" diameter | ft | \$5.60 | AC | 45 |
| High Pressure, Plastic, 06" diameter | ft | \$8.75 | AC | 45 |
| High Pressure, Plastic, 08" diameter | ft | \$13.60 | AC | 45 |
| High Pressure, Plastic, 10" diameter | ft | \$17.20 | AC | 45 |
| High Pressure, Plastic, 12" diameter | ft | \$22.50 | AC | 45 |

441 Irrigation System, Microirrigation

| Component Name | Unit | Cost | CS Type | CS Rate |
|---------------------------------|------|-------------|---------|---------|
| Filter for Surface Water Supply | no | \$13,500.00 | AC | 45 |
| Berries or Vineyards | ac | \$1,800.00 | AC | 45 |
| Vegetables | ac | \$650.00 | AC | 45 |
| Nursery, Hoophouses | ac | \$7,000.00 | AC | 45 |
| Orchard, Field Nursery | ac | \$1,200.00 | AC | 45 |

442 Irrigation System, Sprinkler

| Component Name | Unit | Cost | CS Type | CS Rate |
|---|------|------------|---------|---------|
| Center Pivot - low pressure - 60 acres or less | ac | \$1,000.00 | AC | 45 |
| Center Pivot - low pressure - greater than 60 Acres | ac | \$750.00 | AC | 45 |
| Center Pivot - low pressure - Towable | ac | \$600.00 | AC | 45 |
| Linear move - low pressure | ac | \$1,700.00 | AC | 45 |
| Solid Set - Blueberry, Cranberry, or Field Nursery | ac | \$2,500.00 | AC | 45 |

447 Irrigation System, Tailwater Recovery

| Component Name | Unit | Cost | CS Type | CS Rate |
|--|-------|-------------|---------|---------|
| Tailwater Basin | ac-ft | \$10,000.00 | AC | 45 |
| Water Treatment System | no | \$12,000.00 | AC | 45 |
| Water Treatment System, Chlorinator only | no | \$2,700.00 | AC | 45 |

449 Irrigation Water Management

| Component Name | Unit | Cost | CS Type | CS Rate |
|---|------|------------|---------|---------|
| Backflow Prevention | no | \$350.00 | AC | 45 |
| Flow Meter | no | \$1,000.00 | AC | 45 |
| Soil Moisture Monitoring Device | no | \$100.00 | AC | 45 |
| Electronic Flow Regulator, Traveling Gun, 2" to 3.3" hose | no | \$4,500.00 | AC | 45 |
| Electronic Flow Regulator, Traveling Gun, 3.5" to 5" hose | no | \$5,500.00 | AC | 45 |
| Field Crops (FR) | ac | \$40.00 | FR | 100 |
| Specialty Crops, Vegetables, or Orchard (FR) | ac | \$60.00 | FR | 100 |

462 Precision Land Forming

| Component Name | Unit | Cost | CS Type | CS Rate |
|---|------|------------|---------|---------|
| Land grading, for tailwater or runoff control | ac | \$2,000.00 | AC | 45 |

| 468 Lined Waterway or Outlet | | | | |
|---|------|------------|---------|---------|
| Component Name | Unit | Cost | CS Type | CS Rate |
| Concrete or revetment mat, erosion | ft | \$125.00 | AC | 60 |
| Concrete or revetment mat, tailwater/runoff | ft | \$125.00 | AC | 45 |
| Riprap, 20 ft width or less, erosion | ft | \$55.00 | AC | 60 |
| Riprap, 20 ft width or less, tailwater/runoff | ft | \$55.00 | AC | 45 |
| Riprap, greater than 20 ft width, erosion | ft | \$105.00 | AC | 60 |
| Riprap, greater than 20 ft width, tailwater/runoff | ft | \$105.00 | AC | 45 |
| 472 Use Exclusion | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Fence, Exterior | ft | \$4.50 | AC | 60 |
| 484 Mulching | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Erosion Control Fabric, Biodegradable | sy | \$2.75 | AC | 45 |
| Erosion Control Fabric, Permanent | sy | \$5.75 | AC | 45 |
| Mulch Anchoring | ac | \$150.00 | AC | 45 |
| Mulching, organic production | ac | \$600.00 | AC | 45 |
| Mulching, Straw | ac | \$600.00 | AC | 45 |
| 500 Obstruction Removal | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Fencing Removal | ft | \$1.50 | AC | 60 |
| Fencing Removal, tailwater/runoff | ft | \$1.50 | AC | 45 |
| Hedgerow or Stonerow Removal | ac | \$4,500.00 | AC | 60 |
| Hedgerow or Stonerow Removal, tailwater/runoff | ac | \$4,500.00 | AC | 45 |
| Structure Removal | ton | \$200.00 | AC | 60 |
| Structure Removal, tailwater/runoff | ton | \$200.00 | AC | 45 |
| 512 Pasture and Hay Planting | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Grass and/or Herbaceous Planting | ac | \$400.00 | AC | 60 |
| 516 Pipeline | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Pipeline, 01" diameter or less, Polyethylene pipe | ft | \$3.20 | AC | 60 |
| Pipeline, 01-1/4" to 2" diameter, Polyethylene pipe | ft | \$5.90 | AC | 60 |
| Pipeline, 03" to 04" diameter, PVC PIPE 160 psi | ft | \$5.60 | AC | 60 |
| Pipeline, 06" diameter, PVC PIPE 160 psi | ft | \$8.75 | AC | 60 |
| 521A Pond Sealing or Lining, Flexible Membrane | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Flexible Membrane, tailwater recovery only | sf | \$1.00 | AC | 45 |
| 521C Pond Sealing or Lining, Bentonite Sealant | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Bentonite Sealant, tailwater recovery only | sf | \$0.55 | AC | 45 |
| | | | | |

| 528 | Prescribed Grazing |
|-----|--------------------|
| | |

| 528 Prescribed Grazing | | | | |
|---|------|--------------|---------|---------|
| Component Name | Unit | Cost | CS Type | CS Rate |
| Management Intensive Grazing | ac | \$85.00 | FR | 100 |
| Prescribed Grazing (FR) | ac | \$25.00 | FR | 100 |
| 533 Pumping Plant for Water Control | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Centrifugal or Turbine Pump | no | \$10,000.00 | AC | 45 |
| Livestock Watering | no | \$1,000.00 | AC | 60 |
| Pump Tank - Precast Concrete | gal | \$2.50 | AC | 60 |
| Pump, low pressure, greater than 5 hp | no | \$5,000.00 | AC | 45 |
| Pump, low pressure, less than or equal to 5 hp | no | \$3,500.00 | AC | 45 |
| Wastewater pump system, 250 gpd production | no | \$10,000.00 | AC | 60 |
| Wastewater pump system, 500 gpd production | no | \$15,000.00 | AC | 60 |
| 558 Roof Runoff Structure | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Gutter & Downspout, animal waste (contributing roof | | | | |
| area) | sf | \$0.50 | AC | 60 |
| Gutter & Downspout, tailwater/runoff (contributing roof | , | 40.50 | 4.0 | 4.5 |
| area) | sf | \$0.50 | AC | 45 |
| trench drain system, animal waste | ft | \$17.00 | AC | 60 |
| trench drain system, tailwater/runoff | ft | \$17.00 | AC | 45 |
| 561 Heavy Use Area Protection | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Asphalt | sf | \$3.50 | AC | 60 |
| Concrete Slab | sf | \$8.00 | AC | 60 |
| Concrete with curb and/or bucking wall | sf | \$14.00 | AC | 60 |
| Gravel with geotextile (sf) | sf | \$2.25 | AC | 60 |
| HUAP, Difficult Site, (with State Office Approval) | sf | \$18.00 | AC | 60 |
| Pavilion Roof | sf | \$9.00 | AC | 60 |
| Vegetated or mulched | ac | \$3,350.00 | AC | 60 |
| - Togotatou of maiorica | | ψο,σσσ.σσ | | |
| 570 Runoff Management System | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Runoff Management System (Ag runoff mgt non-typical | | | , , | |
| components), large | no | \$6,000.00 | AC | 45 |
| Runoff Management System (Ag runoff mgt non-typical | | | | |
| components), small | no | \$3,000.00 | AC | 45 |
| 572 Spoil Spreading | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Spoil Spreading | ac | \$2,000.00 | AC | 45 |
| Opon Opreading | au | ΨΖ,000.00 | ٨٥ | 70 |
| 574 Spring Development | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Spring Development | no | \$2,000.00 | AC | 60 |
| · | | | | |

| 575 Animal Trails and Walkways | | | | |
|---|------|------------|---------|---------|
| | Unit | Cont | CS Tuno | CS Rate |
| Component Name | | Cost | CS Type | |
| Animal Trail and Walkway | ft | \$4.00 | AC | 60 |
| 578 Stream Crossing | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Stream Crossing, wetcrossing, gravel | sf | \$2.25 | AC | 60 |
| Stream Crossing, wetcrossing, precast concrete | sf | \$8.00 | AC | 60 |
| 580 Streambank and Shoreline Protection | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Bioengineered - up to 4' bank | ft | \$100.00 | AC | 45 |
| Bioengineered greater than 4' bank | ft | \$200.00 | AC | 45 |
| Rock Toe | ft | \$150.00 | AC | 45 |
| Structural Protection - greater than 3 ft bank | ft | \$500.00 | AC | 45 |
| 585 Stripcropping | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Establishment of contour, narrow seeded strips | ac | \$450.00 | AC | 45 |
| 587 Structure for Water Control | | · | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Catch Basin with grate | no | \$1,750.00 | AC | 60 |
| Catch Basin with grate, tailwater/runoff | no | \$1,750.00 | AC | 45 |
| Culvert, less than or equal to 15" | no | \$4,000.00 | AC | 60 |
| Culvert, less than or equal to 15", tailwater/runoff | no | \$4,000.00 | AC | 45 |
| Culvert, 18" to 24" | no | \$5,000.00 | AC | 60 |
| Culvert, 18" to 24", tailwater/runoff | no | \$5,000.00 | AC | 45 |
| Culvert, greater than or equal to 30" | no | \$6,000.00 | AC | 60 |
| Culvert, greater than or equal to 30", tailwater/runoff | no | \$6,000.00 | AC | 45 |
| 590 Nutrient Management | | ψο,σσοίσσ | 7.0 | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Nutrient Mgmt, cropland, advanced | ac | \$30.00 | FR | 100 |
| Nutrient Mgmt, cropland, advanced, organic production | ac | \$40.00 | FR | 100 |
| Nutrient Mgmt, cropland, basic | ac | \$10.00 | FR | 100 |
| 595 Pest Management | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Grain or Forage, advanced | ac | \$28.00 | FR | 100 |
| Grain or Forage, advanced, organic production | ac | \$35.00 | FR | 100 |
| Grain or Forage, basic | ac | \$10.00 | FR | 100 |
| Greenhouses, advanced | ac | \$40.00 | FR | 100 |
| Greenhouses, advanced, organic production | ac | \$50.00 | FR | 100 |
| Greenhouses, basic | ac | \$15.00 | FR | 100 |
| Vegetables or Sod, advanced | ac | \$40.00 | FR | 100 |
| Vegetables or Sod, advanced, organic production | ac | \$50.00 | FR | 100 |
| Vegetables or Sod, basic | ac | \$15.00 | FR | 100 |
| | | | | |

| 600 | Torraco |
|-----|---------|
| OUU | Terrace |

| Component Name | Unit | Cost | CS Type | CS Rate |
|---------------------------|------|--------|---------|---------|
| Farmed Terrace, cropped | ft | \$6.25 | AC | 60 |
| Vegetated Terrace, Seeded | ft | \$7.25 | AC | 60 |

606 Subsurface Drain

| Component Name | Unit | Cost | CS Type | CS Rate |
|--|------|------------|---------|---------|
| Animal Guard | no | \$25.00 | AC | 45 |
| Subsurface Drain, 04" diameter, (phytophthera control) | ft | \$3.00 | AC | 45 |
| Subsurface Drain, 06" diameter, (phytophthera control) | ft | \$4.50 | AC | 45 |
| Subsurface Drain, Drainfill | ft | \$13.00 | AC | 45 |
| Subsurface Drain, Geotextile | sy | \$3.00 | AC | 45 |
| Surface inlet/junction box | no | \$1,750.00 | AC | 45 |

614 Watering Facility

| Component Name | Unit | Cost | CS Type | CS Rate |
|---------------------------|------|----------|---------|---------|
| Automatic Waterer | no | \$700.00 | AC | 60 |
| Permanent Frost Free Tank | gal | \$115.00 | AC | 60 |
| Seasonal Trough | gal | \$1.50 | AC | 60 |

620 Underground Outlet

| Component Name | Unit | Cost | CS Type | CS Rate |
|---|------|------------|---------|---------|
| Animal Guard | no | \$25.00 | AC | 60 |
| Animal Guard, tailwater/runoff | no | \$25.00 | AC | 45 |
| Surface inlet/junction box | no | \$1,750.00 | AC | 60 |
| Surface inlet/junction box, tailwater/runoff | no | \$1,750.00 | AC | 45 |
| 10" diameter or less, smooth bore | ft | \$10.00 | AC | 60 |
| 10" diameter or less, smooth bore, tailwater/runoff | ft | \$10.00 | AC | 45 |
| 12" to 15" dia | ft | \$20.30 | AC | 60 |
| 12" to 15" dia, tailwater/runoff | ft | \$20.30 | AC | 45 |
| 18" to 24" dia | ft | \$38.40 | AC | 60 |
| 18" to 24" dia, tailwater/runoff | ft | \$38.40 | AC | 45 |
| 30" diameter and greater | ft | \$51.50 | AC | 60 |
| 30" diameter and greater, tailwater/runoff | ft | \$51.50 | AC | 45 |
| Anti-seep collar | no | \$255.00 | AC | 60 |
| Anti-seep collar, tailwater/runoff | no | \$255.00 | AC | 45 |
| Outlet protection | no | \$3,000.00 | AC | 60 |
| Outlet protection, tailwater/runoff | no | \$3,000.00 | AC | 45 |

632 Solid/Liquid Waste Separation Facility

| Component Name | Unit | Cost | CS Type | CS Rate |
|--|------|-------------|---------|---------|
| Solid/Liquid Waste Separation Facility | ea | \$20,000.00 | AC | 60 |

634 Manure Transfer

| Component Name | Unit | Cost | CS Type | CS Rate |
|--------------------------------------|------|-------------|---------|---------|
| Gravity Conduit | ft | \$120.00 | AC | 60 |
| Gravity Hopper | no | \$13,000.00 | AC | 60 |
| Manure transfer pump - piston Type | no | \$15,000.00 | AC | 60 |
| Manure transfer pump - vertical ram | no | \$25,000.00 | AC | 60 |
| Manure transfer pump - vertical, PTO | no | \$11,000.00 | AC | 60 |

| Pressure Conduit - Plastic, Manure | ft | \$60.00 | AC | 60 |
|--|------------|---------------------|-------------|-------------|
| Pressure Conduit - Plastic, Wastewater | ft | \$15.00 | AC | 60 |
| Pressure Conduit - Steel, Manure | no | \$80.00 | AC | 60 |
| Pump Housing | no | \$5,000.00 | AC | 60 |
| Reception Pit, Cast-in-place Concrete | no | \$30,000.00 | AC | 60 |
| Wastewater pump system, 250 gpd production | no | \$10,000.00 | AC | 60 |
| Wastewater pump system, 500 gpd production | no | \$15,000.00 | AC | 60 |
| 205 Western to Treatment Original | | | | |
| 635 Wastewater Treatment Strip | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Manifold distribution system | no | \$2,000.00 | AC | 60 |
| shape, grade, seed and mulch treatment area | ac | \$3,350.00 | AC | 60 |
| 638 Water and Sediment Control Basin | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Water and Sediment Control Basin, by ac-ft, runoff | | | | |
| systems | ac-ft | \$10,000.00 | AC | 45 |
| 642 Water Well | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Water Well, Less Than or Equal to 6" | ft | \$48.00 | AC | 60 |
| 656 Constructed Wetland | | | | |
| Component Name | Unit | Cost | CS Type | CS Rate |
| Constructed Wetland for Runoff Control | no | \$20,000.00 | AC | 45 |
| | | | | |
| Constructed Wetland for Wastewater Treatment | no | \$20,000.00 | AC | 60 |
| Constructed Wetland for Wastewater Treatment 702 Agrichemical Handling Facility | no | \$20,000.00 | AC | 60 |
| | no Unit | \$20,000.00 Cost | AC CS Type | 60 CS Rate |
| 702 Agrichemical Handling Facility | | | | |